

TUBE•LINE™



BALE GATOR

BALE PROCESSOR



www.tubeline.ca



Saves Time, Saves Labour, Saves Bedding.

The Bale Gator is an effective solution for livestock farmers looking to combat rising costs around their farm.

Bale Gator front-loading bale processors, are designed to efficiently distribute straw for bedding in barns or pens. Evenly covering distances of up to 40 feet, the rotating chute has 300° of motion allowing operators to blow material to the left or right of the machine. An electric chute deflector controls the flow for accurate placement of material.

Approximately 5 feet wide, the Bale Gator makes navigating confined spaces easy, ensuring bedding is delivered to even the most challenging and hard-to-reach areas.

The Bale Gator is available in three sizes making it ideal for mini skid steers, skid steers, and telehandlers. The Bale Gator comes with a wireless controller eliminating costly wire harnesses and maximizing equipment compatibility.

BALE PROCESSOR SPECIFICATIONS



Models	334	346L	346
Overall Dims.	80"L x 62"W x 75"H	95"L x 57"W x 75"H	95"L x 57"W x 75"H
Bale Cavity Dims.	46"L x 47"W x 42"H	72"L x 53"W x 40"H	72"L x 53"W x 40"H
Bale Size Suitability	48"L x 36"W x 36"H	72"L x 48"W x 36"H	72"L x 48"W x 36"H
Weight	800 lbs	1,450 lbs	1,450 lbs
Throwing Distance	Up to 40 ft.	Up to 40 ft.	Up to 50 ft.
Auger Drive Type	#60 Roller Chain	#60 Roller Chain	#60 Roller Chain
Hitch Type	Mini Skidsteer / Skidsteer 18-50 HP	Skidsteer / Mini Wheel Loaders 45-65 HP	Skidsteer / Mini Wheel Loaders 45-65 HP
Required GPM	8-12 @ 3000 PSI	8-12 @ 3000 PSI	22-30 @ 3000 PSI
Case Drain Req.	YES	YES	YES
Power Supply	12V DC power (10 amp)	12V DC power (10 amp)	12V DC power (10 amp)



Models	348	348X
Overall Dims.	128"L x 62"W x 75"H	128"L x 62"W x 75"H
Bale Cavity Dims.	102"L x 53"W x 42"H	102"L x 53"W x 42"H
Bale Size Suitability	96"L x 48"W x 36"H	96"L x 48"W x 36"H
Weight	1,850 lbs	1,850 lbs
Throwing Distance	Up to 50 ft.	Up to 50 ft.
Auger Drive Type	#50 Double Roller Chain	#60 Double Roller Chain
Hitch Type	Front End Loaders / Large Skidsteer 70-90 HP	Front End Loaders / Large Skidsteer 70-90 HP
Required GPM	22-30 @ 3000 PSI	38-42 @ 3000 PSI
Case Drain Req.	YES	YES
Power Supply	12V DC power (10 amp)	12V DC power (10 amp)



BALE GATOR



Hydraulic End Gate

- Designed to lock in bale
- Retains bale after strings are cut



Augers with Bolt on Knives

- Variable speed beaters offer flexibility in bedding materials and time management
- Reversible beaters reduces plug ups



Hydraulic Rotating Chute

- A shift from a tight arch to a longer arch allows for a more even distribution
- 300° blower hood rotation



Electric Actuator on Deflector

- The two-stage hood deflector provides improved control of the bedding stream



Discharge Chute on Fan

- Removable Deflector



Wireless Remote Control

- Wireless remote eliminates extra wiring harness

Tubeline Manufacturing Ltd.

6455 Reid Woods Drive
 Elmira, Ont. Canada N3B 2Z3
 P. 1.888.856.6613 • F. 519.669.5808
 sales@tubeline.ca • www.tubeline.ca