

NITRO

PRO Series



TUBE•LINE™



CAPACITY

23
TON


STEERING AXLES

OPTIONAL

CHOOSE YOUR BEATER TYPE



**VERTICAL
BEATERS**



**SPINNER
DECK**

- Guillotine end gate
- Front stone guard
- Poly board floor
- Steel sidewall
- Dual apron with hydraulic drive on apron chain to accurately adjust feed speed
- Removable/replaceable apron slats
- Quick removable beaters for stockpiling, etc.
- Drum brakes standard
- Side mounted access ladder
- Hydraulic jack and tongue leveling
- Spinner deck option available
- Silage extension option available
- Robust heavy duty logging style apron chain with a LIMITED LIFETIME WARRANTY

The Tubeline Nitro N9 Pro is the tandem-axle model in our new Pro Series, engineered with a narrower design that makes road travel safer and easier.

This slimmer profile is a big advantage for operations hauling long distances between fields, cutting down on stress and hassle during transport. Heavy-duty suspension smooths out the ride, protecting both the machine and the load over rough terrain and long hauls.

The N9 Pro delivers the large carrying capacity Tubeline is known for, so you're not sacrificing volume for maneuverability. For operators who want extra control in tight spaces, a steering axle is available as an option. It's a versatile, road-ready spreader built for efficient, everyday hauling.

Specifications	Nitro N9 PRO
Carrying Capacity	23 Ton
Heaped	915 cu. ft.
Struck Level	670 cu. ft.
Loading Height	120"
Steering Axles	Optional
Axles	Tandem
Axle Capacity	16 Ton (x2)
Suspension Capacity	32 Ton (Tandem)
Tire Sizes	700/50-26.5
Shipping Weight	25,000 lbs.





CAPACITY

35
TON


STEERING AXLES

STANDARD

CHOOSE YOUR BEATER TYPE



VERTICAL BEATERS



SPINNER DECK

- Guillotine end gate
- Front stone guard
- Poly board floor
- Steel sidewall
- Dual apron with hydraulic drive on apron chain to accurately adjust feed speed
- Removable/replaceable apron slats
- Quick removable beaters for stockpiling, etc.
- Drum brakes standard
- Side mounted access ladder
- Hydraulic jack and tongue leveling
- Spinner deck option available
- Silage extension option available
- Robust heavy duty logging style apron chain with a LIMITED LIFETIME WARRANTY



The Tubeline Nitro N12 Pro is the triaxle flagship of the Pro Series, offering the larger carrying capacity in the lineup.

Like every Pro Series model, it features a narrower design built for safer, easier road travel — a real advantage when fields are spread far apart. Heavy-duty suspension delivers a smooth, controlled ride even when fully loaded, reducing wear and driver fatigue on long hauls.


Unlike the N9 Pro, the N12 Pro comes standard with a steering axle, giving operators improved maneuverability and tighter turning right out of the box. Its triaxle configuration is built to handle heavier loads while keeping the machine stable and road-friendly. For operations that need to move more product without slowing down, the N12 Pro is the top choice in the Pro Series.

Specifications	Nitro N12 PRO
Carrying Capacity	35 Ton
Heaped	1,208 cu. ft.
Struck Level	882 cu. ft.
Loading Height	120"
Steering Axles	Standard
Axles	Tri-Axle
Axle Capacity	16 Ton (x3)
Suspension Capacity	48 Ton (Tri-Axle)
Tire Sizes	700/50-26.5
Shipping Weight	32,000 lbs.



**SCALE
Ready**





Steering Axles

Steering axles improve maneuverability by reducing the turning radius and minimizing ground disturbance. They provide smooth tracking in the field, increased stability during transport, and make the spreader easier to handle in tight spaces.



Dual Hydraulic Floor Apron

The dual hydraulic floor apron delivers smooth, consistent material flow for even spreading and reliable performance. Built for strength and precise control, it handles heavy loads with ease while allowing the operator to adjust feed rates to match varying manure conditions.



Drum Brakes

Standard on Pro Series models, drum brakes provide dependable stopping power for enhanced safety and control during transport. Designed for confident handling of heavy loads, they deliver reliable braking performance in both field and road conditions.

Tubeline Manufacturing Ltd.

6455 Reid Woods Drive
Elmira, Ont. Canada N3B 2Z3
P. 1.888.856.6613 • F. 519.669.5808
sales@tubeline.ca • www.tubeline.ca